

PFKZ|SKL

EMC Shield clamps, pluggable



Product description

Comparable with the PFK|SKL range, the PFKZ|SKL shield clamps can be used for shielding single cables. The PFKZ range provides possibility to affix the cable with a cable tie. Strain relief in accordance with EN 50262 is achieved.

PFKZ|SKL clamps are used where a screw connection is either not possible or wanted. The PFKZ|SKL is simply clamped on the sheet. The claws provide a secure grip, even in case of vibrations.

Advantages

- Integrated strain relief
- Optimal contact of the cable shield
- Simple and tool-free assembly
- Permanent, continuous pressure on the cable shield, no adjustment of the spring load required
- Vibration proof, maintenance free

Specification

Material

SKL-clamp Spring steel, zinc plated

PFKZ-foot Spring steel

Type A: For wall/sheet thickness 1.5 - 2 mm

Type B: For wall/sheet thickness 2 - 3 mm

Accessories


KB Cable ties Page 145

Stripping tool Page 103

Type	Order No.	Shield diameter	PU
PFKZ SKL - Type A (for wall/sheet thickness 1.5 - 2 mm)			
PFKZ-A SKL 1.5-3	36779.1	1.5 - 3 mm	10
PFKZ-A SKL 3-6	36779.2	3 - 6 mm	10
PFKZ-A SKL 6-8	36779.3	6 - 8 mm	10
PFKZ-A SKL 8-11	36779.4	8 - 11 mm	10
PFKZ SKL - Type B (for wall/sheet thickness 2 - 3 mm)			
PFKZ-B SKL 1.5-3	36783.1	1.5 - 3 mm	10
PFKZ-B SKL 3-6	36783.2	3 - 6 mm	10
PFKZ-B SKL 6-8	36783.3	6 - 8 mm	10
PFKZ-B SKL 8-11	36783.4	8 - 11 mm	10

PFK|SKL

EMC Shield clamps, pluggable



Secure grip on metal sheets due to mounting claws



Type	Order No.	Shield diameter	PU
PFK SKL - Type A (for wall/sheet thickness 1.5 - 2 mm)			
PFK-A SKL 1.5-3	36778.1	1.5 - 3 mm	10
PFK-A SKL 3-6	36778.2	3 - 6 mm	10
PFK-A SKL 6-8	36778.3	6 - 8 mm	10
PFK-A SKL 8-11	36778.4	8 - 11 mm	10
PFK SKL - Type B (for wall/sheet thickness 2 - 3 mm)			
PFK-B SKL 1.5-3	36782.1	1.5 - 3 mm	10
PFK-B SKL 3-6	36782.2	3 - 6 mm	10
PFK-B SKL 6-8	36782.3	6 - 8 mm	10
PFK-B SKL 8-11	36782.4	8 - 11 mm	10

Product description

PFK|SKL shield clamps can be used for shielding single cables. The shield clamps are easy to use and enable a reliable shielding of cables.

PFK|SKL clamps are used where a screw connection is either not possible or wanted. The PFK|SKL is simply clamped on the sheet. The claws provide a secure grip, even in case of vibrations.

Advantages

- Optimal contact of the cable shield
- Simple and tool-free assembly
- Vibration proof, maintenance free
- Permanent, continuous pressure on the cable shield, no adjustment of the spring load required

Specification

Material
 SKL-clamp Spring steel, zinc plated
 PFK-foot Spring steel

Type A: For wall/sheet thickness 1.5 - 2 mm
 Type B: For wall/sheet thickness 2 - 3 mm

Accessories

Stripping tool Page 103

PFKZ2|SKL

EMC Shield clamps, pluggable, double



Secure grip on metal sheets due to mounting claws

Product description

Comparable with the PFK2|SKL range, the PFKZ2|SKL shield clamps can be used for shielding two single cables. The PFKZ range provides the possibility to affix the cable with a cable tie. Strain relief in accordance with EN 50262 is achieved.

PFKZ2|SKL clamps are used where a screw connection is either not possible or wanted. The PFKZ2|SKL is simply clamped on the sheet. The claws provide a secure grip, even in case of vibrations.

Advantages

- Integrated strain relief
- Optimal contact of the cable shield
- Simple and tool-free assembly
- Permanent, continuous pressure on the cable shield, no adjustment of the spring load required
- Vibration proof, maintenance free
- Optimal use of space

Specification

Material

SKL-clamp Spring steel, zinc plated
 PFKZ2-foot Spring steel

Type A: For wall/sheet thickness 1.5 - 2 mm
 Type B: For wall/sheet thickness 2 - 3 mm


Accessories

KB Cable ties Page 145
 Stripping tool Page 103

Type A	Order No. Type A	Type B	Order No. Type B	Shield diameter Pos. 1	Shield diameter Pos. 2	PU
Sheet thickness 1.5 - 2 mm:						
PFKZ2-A SKL 01	36781.01	PFKZ2-B SKL 01	36785.01	blank	1.5 - 3 mm	10
PFKZ2-A SKL 02	36781.02	PFKZ2-B SKL 02	36785.02	blank	3 - 6 mm	10
PFKZ2-A SKL 03	36781.03	PFKZ2-B SKL 03	36785.03	blank	6 - 8 mm	10
PFKZ2-A SKL 04	36781.04	PFKZ2-B SKL 04	36785.04	blank	8 - 11 mm	10
Sheet thickness 2 - 3 mm:						
PFKZ2-A SKL 10	36781.10	PFKZ2-B SKL 10	36785.10	1.5 - 3 mm	blank	10
PFKZ2-A SKL 11	36781.11	PFKZ2-B SKL 11	36785.11	1.5 - 3 mm	1.5 - 3 mm	10
PFKZ2-A SKL 12	36781.12	PFKZ2-B SKL 12	36785.12	1.5 - 3 mm	3 - 6 mm	10
PFKZ2-A SKL 13	36781.13	PFKZ2-B SKL 13	36785.13	1.5 - 3 mm	6 - 8 mm	10
PFKZ2-A SKL 14	36781.14	PFKZ2-B SKL 14	36785.14	1.5 - 3 mm	8 - 11 mm	10
PFKZ2-A SKL 20	36781.20	PFKZ2-B SKL 20	36785.20	3 - 6 mm	blank	10
PFKZ2-A SKL 21	36781.21	PFKZ2-B SKL 21	36785.21	3 - 6 mm	1.5 - 3 mm	10
PFKZ2-A SKL 22	36781.22	PFKZ2-B SKL 22	36785.22	3 - 6 mm	3 - 6 mm	10
PFKZ2-A SKL 23	36781.23	PFKZ2-B SKL 23	36785.23	3 - 6 mm	6 - 8 mm	10
PFKZ2-A SKL 24	36781.24	PFKZ2-B SKL 24	36785.24	3 - 6 mm	8 - 11 mm	10
PFKZ2-A SKL 30	36781.30	PFKZ2-B SKL 30	36785.30	6 - 8 mm	blank	10
PFKZ2-A SKL 31	36781.31	PFKZ2-B SKL 31	36785.31	6 - 8 mm	1.5 - 3 mm	10
PFKZ2-A SKL 32	36781.32	PFKZ2-B SKL 32	36785.32	6 - 8 mm	3 - 6 mm	10
PFKZ2-A SKL 33	36781.33	PFKZ2-B SKL 33	36785.33	6 - 8 mm	6 - 8 mm	10
PFKZ2-A SKL 34	36781.34	PFKZ2-B SKL 34	36785.34	6 - 8 mm	8 - 11 mm	10
PFKZ2-A SKL 40	36781.40	PFKZ2-B SKL 40	36785.40	8 - 11 mm	blank	10
PFKZ2-A SKL 41	36781.41	PFKZ2-B SKL 41	36785.41	8 - 11 mm	1.5 - 3 mm	10
PFKZ2-A SKL 42	36781.42	PFKZ2-B SKL 42	36785.42	8 - 11 mm	3 - 6 mm	10
PFKZ2-A SKL 43	36781.43	PFKZ2-B SKL 43	36785.43	8 - 11 mm	6 - 8 mm	10

PFK2|SKL

EMC Shield clamps, pluggable, double



Type A	Order No. Type A	Type B	Order No. Type B	Shield diameter Pos. 1	Shield diameter Pos. 2	PU
--------	------------------	--------	------------------	------------------------	------------------------	----

Sheet thickness 1.5 - 2 mm:		Sheet thickness 2 - 3 mm:				
PFK2-A SKL 01	36780.01	PFK2-B SKL 01	36784.01	blank	1.5 - 3 mm	10
PFK2-A SKL 02	36780.02	PFK2-B SKL 02	36784.02	blank	3 - 6 mm	10
PFK2-A SKL 03	36780.03	PFK2-B SKL 03	36784.03	blank	6 - 8 mm	10
PFK2-A SKL 04	36780.04	PFK2-B SKL 04	36784.04	blank	8 - 11 mm	10
PFK2-A SKL 10	36780.10	PFK2-B SKL 10	36784.10	1.5 - 3 mm	blank	10
PFK2-A SKL 11	36780.11	PFK2-B SKL 11	36784.11	1.5 - 3 mm	1.5 - 3 mm	10
PFK2-A SKL 12	36780.12	PFK2-B SKL 12	36784.12	1.5 - 3 mm	3 - 6 mm	10
PFK2-A SKL 13	36780.13	PFK2-B SKL 13	36784.13	1.5 - 3 mm	6 - 8 mm	10
PFK2-A SKL 14	36780.14	PFK2-B SKL 14	36784.14	1.5 - 3 mm	8 - 11 mm	10
PFK2-A SKL 20	36780.20	PFK2-B SKL 20	36784.20	3 - 6 mm	blank	10
PFK2-A SKL 21	36780.21	PFK2-B SKL 21	36784.21	3 - 6 mm	1.5 - 3 mm	10
PFK2-A SKL 22	36780.22	PFK2-B SKL 22	36784.22	3 - 6 mm	3 - 6 mm	10
PFK2-A SKL 23	36780.23	PFK2-B SKL 23	36784.23	3 - 6 mm	6 - 8 mm	10
PFK2-A SKL 24	36780.24	PFK2-B SKL 24	36784.24	3 - 6 mm	8 - 11 mm	10
PFK2-A SKL 30	36780.30	PFK2-B SKL 30	36784.30	6 - 8 mm	blank	10
PFK2-A SKL 31	36780.31	PFK2-B SKL 31	36784.31	6 - 8 mm	1.5 - 3 mm	10
PFK2-A SKL 32	36780.32	PFK2-B SKL 32	36784.32	6 - 8 mm	3 - 6 mm	10
PFK2-A SKL 33	36780.33	PFK2-B SKL 33	36784.33	6 - 8 mm	6 - 8 mm	10
PFK2-A SKL 34	36780.34	PFK2-B SKL 34	36784.34	6 - 8 mm	8 - 11 mm	10
PFK2-A SKL 40	36780.40	PFK2-B SKL 40	36784.40	8 - 11 mm	blank	10
PFK2-A SKL 41	36780.41	PFK2-B SKL 41	36784.41	8 - 11 mm	1.5 - 3 mm	10
PFK2-A SKL 42	36780.42	PFK2-B SKL 42	36784.42	8 - 11 mm	3 - 6 mm	10
PFK2-A SKL 43	36780.43	PFK2-B SKL 43	36784.43	8 - 11 mm	6 - 8 mm	10

Product description

PFK2|SKL shield clamps can be used for shielding two single cables. The shield clamps are easy to use and enable a reliable shielding of cables.

PFK2|SKL clamps are used where a screw connection is either not possible or wanted. The PFK2|SKL is simply clamped on the sheet. The claws provide a secure grip, even in case of vibrations.

Advantages

- Optimal contact of the cable shield
- Simple and tool-free assembly
- Vibration proof, maintenance free
- Permanent, continuous pressure on the cable shield, no adjustment of the spring load required
- Optimal use of space

Specification

Material
SKL-clamp Spring steel, zinc plated
PFK2-foot Spring steel

Type A: For wall/sheet thickness 1.5 - 2 mm
Type B: For wall/sheet thickness 2 - 3 mm

Accessories

Stripping tool Page 103